8866	Ì
	1866

# SEARCH REQUEST FORM

Scientific and Technical Information Center

• •	
Requester's Full Name: Josephine Young Ex	70-
Art Unit: 1623 Phone Number 30	aminer #: 79813 Date: 2/26/03  Serial Number: 4144,641
	Format Preferred (circle): PAPER DISK E-MAIL
8819	
If more than one search is submitted, please prioritize se	earches in order of need.
Please provide a detailed statement of the search topic, and describe as specified the search topic.	ecifically as possible the subject matter to be accorded
include the elected species or structures, keywords, synonyms, acronyms.	and registry numbers, and combine with the concent or
utility of the invention. Define any terms that may have a special meaning known. Please attach a copy of the cover sheet, pertinent claims, and abstract.	g. Give examples or relevant citations, authors, etc. if
•	
Title of Invention: Cafactors for nothyldransler	ases
Inventors (please provide full names): PIGNOT Marc	WEINIHOLD Flores
· · · · · · · · · · · · · · · · · · ·	
Earliest Priority Filing Date: 07/29/1998	
*For Sequence Searches Only* Please include all pertinent information (paren appropriate serial number.	t, child, divisional, or issued patent numbers) along with the
MILLEDDI OF DELCE	1 7) 0
Attached: D Pending (lams; 2) Bib Sh.	et; s) Assignment Info
	NH2
Planse search	TN H
(1) No adunte (2)	N-5-(0)
107.01	<b>H</b> -0
	7,00
110 OH /	
. '	H C CH
•	
(3) claim 1	
Car Claum 1	<u>S</u>
	Jan Delaval
	Reference Librarian Biotechnology & Chemical Library
Thenks!	CM1 1E07 - 703-308-4498
	jan.delaval@uspto.gov
	Reference Librarian Biotechnology & Chemical Library CM1 1E07 – 703-308-4498 jan.delaval@uspto.gov
**	

STAFF USE ONLY Type of Search NA Sequence (#) STN\_ AA Sequence (#) Dialog \_ Structure (#) Questel/Orbit Bibliographic Dr.Link Litigation Fulltext Sequence System Clerical Prep Time: () Other

PTO-1590 (8-01)

=> fil reg

FILE 'REGISTRY' ENTERED AT 13:05:00 ON 18 MAR 2003 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 17 MAR 2003 HIGHEST RN 499763-93-8 DICTIONARY FILE UPDATES: 17 MAR 2003 HIGHEST RN 499763-93-8

TSCA INFORMATION NOW CURRENT THROUGH MAY 20, 2002

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details: http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

=> d sta que 13 L1 STR

NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED
ECOUNT IS M1 N AT 10

GRAPH ATTRIBUTES: RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 12

STEREO ATTRIBUTES: NONE
L3 17 SEA FILE=REGISTRY SSS FUL L1

100.0% PROCESSED 1059 ITERATIONS SEARCH TIME: 00.00.01

17 ANSWERS

=> d his

(FILE 'HOME' ENTERED AT 13:00:40 ON 18 MAR 2003) SET COST OFF

FILE 'REGISTRY' ENTERED AT 13:00:49 ON 18 MAR 2003

L1 . STR L2 1 S L1 L3 17 S L1 FUL Jan Delaval
Reference Librarian
Biotechnology & Chemical Library
CM1 1E07 – 703-308-4498
jan.delaval@uspto.gov

#### SAV L3 YOUNG744/A

FILE 'HCAOLD' ENTERED AT 13:02:23 ON 18 MAR 2003 0 S L3 L4FILE 'USPATFULL, USPAT2' ENTERED AT 13:02:25 ON 18 MAR 2003 0 S L3 L5 FILE 'HCAPLUS' ENTERED AT 13:02:29 ON 18 MAR 2003 L63 S L3 E PIGNOT M/AU L7 9 S E4 E WEINHOLD E/AU 27 S E3, E7, E8 1.8 2 S L6 AND L7, L8 1.9 L10 3 S L6, L9 L11 29 S L7, L8 NOT L10 SEL RN L10 FILE 'REGISTRY' ENTERED AT 13:03:55 ON 18 MAR 2003

48 S E1-E48

L12L13 31 S L12 NOT L3

FILE 'REGISTRY' ENTERED AT 13:05:00 ON 18 MAR 2003

=> fil hcaplus FILE 'HCAPLUS' ENTERED AT 13:05:10 ON 18 MAR 2003 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (availablefor records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Mar 2003 VOL 138 ISS 12 FILE LAST UPDATED: 17 Mar 2003 (20030317/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

## => d l10 all hitstr tot

- L10 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2003 ACS
- 2002:649155 HCAPLUS AN
- DN 137:338087
- Expeditious synthesis of aziridine-based cofactor mimics ΤI
- ΑU Comstock, Lindsay R.; Rajski, Scott R.
- School of Pharmacy, University of Wisconsin-Madison, Madison, WI, 53705, CS USA
- SO Tetrahedron (2002), 58(30), 6019-6026 CODEN: TETRAB; ISSN: 0040-4020
- PΒ Elsevier Science Ltd.
- דת Journal
- LA English

- CC 33-9 (Carbohydrates)
- AB S-Adenosyl-L-methionine mimics were synthesized in a linear fashion highlighting methodol. that bypasses the need for adenine base protection. These aziridine-based cofactor mimics are envisioned as useful biochem. tools and potential therapeutic agents whose mechanism of action hinges upon aberrant methyltransferase enzymes. Aziridination of the 5' position of adenosine was effected by convergence of suitably protected 5'-aminoadenosine with various dibromopropionates. The economy and high yields for this route to said aziridine-based cofactors is highly amenable to large-scale chem. which no doubt will be vital to their development as therapeutics and biochem. tools.
- ST adenosyl methionine mimic prepn; aziridine cofactor mimic prepn; adenosine aziridination
- IT Cycloaddition reaction

(aziridination; synthesis of aziridine-based cofactor mimics of nucleosides via aziridination as the key step)

IT Nucleoside analogs

RL: SPN (Synthetic preparation); PREP (Preparation) (synthesis of aziridine-based cofactor mimics of nucleosides via aziridination as the key step)

IT 362-75-4 18791-02-1, 2,3-Dibromopropionyl chloride 92841-65-1 112791-04-5

RL: RCT (Reactant); RACT (Reactant or reagent)

(synthesis of aziridine-based cofactor mimics of nucleosides via aziridination as the key step)

IT 1729-67-5P 10288-11-6P 34245-48-2P 473907-68-5P 473907-69-6P

473907-70-9P 473907-71-0P 473907-72-1P

473907-77-6P **473907-78-7P 473907-79-8P** 473907-80-1P

473907-81-2P 473907-82-3P 473907-83-4P

473907-84-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(synthesis of aziridine-based cofactor mimics of nucleosides via aziridination as the key step)

IT 473907-73-2P 473907-74-3P 473907-75-4P 473907-76-5P 473907-85-6P 473907-86-7P

RL: SPN (Synthetic preparation); PREP (Preparation)

(synthesis of aziridine-based cofactor mimics of nucleosides via aziridination as the key step)

RE.CNT 52 THERE ARE 52 CITED REFERENCES AVAILABLE FOR THIS RECORD RE

- (1) Aahman, J; Synth Commun 1994, V24, P1121 HCAPLUS
- (2) Ahuja, N; Cancer Res 1997, V57, P3370 HCAPLUS
- (3) Allerson, C; J Am Chem Soc 1997, V119, P7423 HCAPLUS
- (4) Ambrosi, H; Liebigs Ann Chem 1994, P1013 HCAPLUS
- (5) Cardillo, G; Synlett 1999, V11, P1727
- (6) Cardillo, G; Tetrahedron: Asymmetry 1996, V7, P755 HCAPLUS
- (7) Chamchaang, W; J Org Chem 1990, V55, P2943 HCAPLUS
- (8) Chang, A; J Am Chem Soc 2000, V122, P4856 HCAPLUS
- (9) Cheng, X; Nucleic Acids Res 2001, V29, P3784 HCAPLUS
- (10) Clark, W; J Org Chem 1998, V63, P6732 HCAPLUS
- (11) Colot, V; BioEssays 1999, V21, P402 MEDLINE
- (12) Davis, F; Tetrahedron Lett 1994, V35, P7525 HCAPLUS
- (13) DeShong, P; J Org Chem 1985, V50, P2309 HCAPLUS
- (14) Eastwood, F; Tetrahedron Lett 1994, V35, P2039 HCAPLUS
- (15) Fei, L; Org Lett 2001, V3, P2273
- (16) Filigheddu, S; Tetrahedron Lett 1998, V39, P3857 HCAPLUS
- (17) Guillena, G; J Org Chem 2000, V65, P7310 HCAPLUS
- (18) Herman, J; Proc Natl Acad Sci USA 1996, V93, P9821 HCAPLUS
- (19) Jahnisch, K; Eur J Org Chem 2000, P3957 HCAPLUS
- (20) Johnstone, R; Nat Rev 2002, V1, P287 HCAPLUS
- (21) Kolb,  $\dot{M}$ ; J Med Chem 1982, V25, P550 HCAPLUS
- (22) Laird, P; Annu Rev Gen 1996, V30, P441 HCAPLUS

```
(23) Lal, B; Tetrahedron Lett 1977, V18, P1977
```

- (24) Lindstrom, U; Synthesis 1998, P109
- (25) Liu, F; J Org Chem 2001, V66, P8643 HCAPLUS
- (26) Miller, M; J Org Chem 1999, V64, P9289
- (27) Minehan, T; Helv Chim Acta 2000, V83, P2197 HCAPLUS
- (28) Morimoto, Y; Synlett 1991, P201 HCAPLUS
- (29) Nelson, H; Chem Biol 1996, V3, P419 HCAPLUS
- (30) Nie, Y; Carcinogenesis 2001, V22, P1615 HCAPLUS
- (31) Ohtani-Fujita, N; Oncogene 1993, V8, P1063 HCAPLUS
- (32) Patra, S; Biochem Biophys Res Commun 2001, V287, P705 HCAPLUS
- (33) Pignot, M; WO 00/06587 HCAPLUS
- (34) Pignot, M; Angew Chem Int Ed 1998, V37, P2888 HCAPLUS
- (35) Pignot, M; Eur J Org Chem 2000, P549 HCAPLUS
- (36) Rajski, S; Chem Rev 1998, V98, P2723 HCAPLUS
- (37) Razin, A; Biochim Biophys Acta 1984, V782, P331 HCAPLUS
- (38) Razin, A; Microbiol Rev 1991, V55, P451 HCAPLUS
- (39) Razin, A; Science 1980, V210, P604 HCAPLUS
- (40) Roberts, R; Annu Rev Biochem 1998, V67, P181 HCAPLUS
- (41) Robertson, K; Oncogene 2001, V20, P3139 HCAPLUS
- (42) Robertson, K; Oncogene 2001, V20, P3139 HCAPLUS
- (43) Saint-Fuscien, C; Tetrahedron Lett 2000, V41, P6393
- (44) Siegfried, Z; Nat Genet 1999, V22, P203 HCAPLUS
- (45) Stolberg, M; J Am Chem Soc 1953, V75, P5045 HCAPLUS
- (46) Tanner, D; Tetrahedron 1998, V54, P14213 HCAPLUS
- (47) Toyota, M; J Org Chem 2000, V65, P7110 HCAPLUS
- (48) Van der Wende, E; J Med Chem 1998, V41, P102
- (49) Wang, C; J Am Chem Soc 2000, V123, P8657
- (50) Yisraeli, J; DNA Methylation and its Biological Significance 1984, P353 HCAPLUS
- (51) Yoshiura, K; Proc Natl Acad Sci USA 1995, V92, P7416 HCAPLUS
- (52) Zablocki, J; J Med Chem 1987, V30, P829 HCAPLUS
- IT 473907-70-9P 473907-71-0P 473907-72-1P
  - 473907-78-7P 473907-79-8P 473907-81-2P
  - 473907-82-3P 473907-83-4P 473907-84-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

- RN 473907-70-9 HCAPLUS
- CN Adenosine, 5'-deoxy-5'-[(2R)-2-(methoxycarbonyl)-1-aziridinyl]-2',3'-bis-0-(triethylsilyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 473907-71-0 HCAPLUS

CN Adenosine, 5'-deoxy-5'-[(2S)-2-(methoxycarbonyl)-1-aziridinyl]-2',3'-bis-0-(triethylsilyl)- (9CI) (CA INDEX NAME)

RN 473907-72-1 HCAPLUS

CN Adenosine, 5'-deoxy-5'-[2-[(phenylmethoxy)carbonyl]-1-aziridinyl]-2',3'-bis-O-(triethylsilyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 473907-78-7 HCAPLUS

CN Adenosine, 5'-deoxy-5'-[(2R)-2-[[(4S,5R)-3,4-dimethyl-2-oxo-5-phenyl-1-imidazolidinyl]carbonyl]-1-aziridinyl]-2',3'-bis-O-(triethylsilyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 473907-79-8 HCAPLUS

CN Adenosine, 5'-deoxy-5'-[(2S)-2-[[(4S,5R)-3,4-dimethyl-2-oxo-5-phenyl-1-imidazolidinyl]carbonyl]-1-aziridinyl]-2',3'-bis-O-(triethylsilyl)- (9CI) (CA INDEX NAME)

RN 473907-81-2 HCAPLUS

CN Adenosine, 5'-deoxy-5'-[(2R)-2-[[(4R,5S)-3,4-dimethyl-2-oxo-5-phenyl-1-imidazolidinyl]carbonyl]-1-aziridinyl]-2',3'-bis-O-(triethylsilyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 473907-82-3 HCAPLUS

CN Adenosine, 5'-deoxy-5'-[(2S)-2-[[(4R,5S)-3,4-dimethyl-2-oxo-5-phenyl-1-imidazolidinyl]carbonyl]-1-aziridinyl]-2',3'-bis-O-(triethylsilyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 473907-83-4 HCAPLUS

CN Adenosine, 5'-deoxy-5'-[(2R)-2-(hydroxymethyl)-1-aziridinyl]-2',3'-bis-0-(triethylsilyl)- (9CI) (CA INDEX NAME)

RN 473907-84-5 HCAPLUS

CN Adenosine, 5'-deoxy-5'-[(2S)-2-(hydroxymethyl)-1-aziridinyl]-2',3'-bis-O-(triethylsilyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

IT 473907-73-2P 473907-74-3P 473907-75-4P 473907-76-5P 473907-85-6P 473907-86-7P

RL: SPN (Synthetic preparation); PREP (Preparation) (synthesis of aziridine-based cofactor mimics of nucleosides via aziridination as the key step)

RN 473907-73-2 HCAPLUS

CN Adenosine, 5'-deoxy-5'-[(2S)-2-(methoxycarbonyl)-1-aziridinyl]- (9CI) (CF INDEX NAME)

Absolute stereochemistry.

RN 473907-74-3 HCAPLUS

CN Adenosine, 5'-deoxy-5'-[(2R)-2-(methoxycarbonyl)-1-aziridinyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 473907-75-4 HCAPLUS
CN Adenosine, 5'-deoxy-5'-[(2S)-2-[(phenylmethoxy)carbonyl]-1-aziridinyl](9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 473907-76-5 HCAPLUS
CN Adenosine, 5'-deoxy-5'-[(2R)-2-[(phenylmethoxy)carbonyl]-1-aziridinyl](9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 473907-85-6 HCAPLUS
CN Adenosine, 5'-deoxy-5'-[(2R)-2-(hydroxymethyl)-1-aziridinyl]- (9CI) (CA INDEX NAME)

473907-86-7 HCAPLUS RN Adenosine, 5'-deoxy-5'-[(2S)-2-(hydroxymethyl)-1-aziridinyl]- (9CI) (CA CN INDEX NAME)

Absolute stereochemistry.

L10 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2003 ACS

ΑN 2000:98580 HCAPLUS

DN 132:148496

TIAziridine-containing cofactors for methyltransferases and their use in labeling of nucleic acids and proteins

Pignot, Marc; Weinhold, Elmar ΙN

Max-Planck-Gesellschaft Zur Forderung Der Wissenschaften E.V., Germany PΑ

SO PCT Int. Appl., 49 pp.

CODEN: PIXXD2

DT Patent

LA English

IC ICM C07H019-167 ICS C12Q001-68

CC 7-3 (Enzymes)

Section cross-reference(s): 9

FAN.CNT 1

0111 1			
PATENT NO.	KIND DATE	APPLICATION NO.	DATE
WO 2000006587	A1 20000210	WO 1999-EP5405	19990728
• •	•		
RW: AT, BE,	CH, CY, DE, DK,	ES, FI, FR, GB, GR, IE,	IT, LU, MC, NL,
PT, SE			
CA 2338721	AA 20000210	CA 1999-2338721	19990728
EP 1102781	A1 20010530	EP 1999-938363	19990728
R: AT; BE,	CH, DE, DK, ES,	FR, GB, GR, IT, LI, LU,	NL, SE, MG, PT,
IE, FI	•		• •
JP 2002521488	T2 20020716	JP 2000-562384	19990728 .
	WO 2000006587 W: CA, JP, RW: AT, BE, PT, SE CA 2338721 EP 1102781 R: AT, BE, IE, FI	WO 2000006587 A1 20000210  W: CA, JP, LT, US  RW: AT, BE, CH, CY, DE, DK,  PT, SE  CA 2338721 AA 20000210  EP 1102781 A1 20010530  R: AT, BE, CH, DE, DK, ES,  IE, FF	WO 2000006587 A1 20000210 WO 1999-EP5405  W: CA, JP, LT, US  RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  PT, SE  CA 2338721 AA 20000210 CA 1999-2338721  EP 1102781 A1 20010530 EP 1999-938363  R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU,  IE, FF

PRAI EP 1998-114201 19980729 Α

WO 1999-EP5405 19990728

AB Aziridine derivs. [I; X=N, CH; Y=N, CR3; R1,R3=H, 3H, NH(CH2)nNHR4, NH(C2H5O)nC2H5NHR4; R4=fluorophore, affinity tag, crosslinking agent, peptides, etc.; n=1-5000; R2=R1, CH2CH(COOH)(NH2)] are disclosed which can be used as cofactor for S-adenosyl-L-methionine-dependent methyltransferases. I and methyltransferases may be used to label nucleic acids and proteins. Thus, I (X,Y=N; R1,R2=H) was synthesized and used to label double-stranded oligonucleotide substrates of DNA methyltransferase TagI and HhaI.

ST aziridine contg adenosine analog methyltransferase cofactor; protein nucleic acid labeling methyltransferase SAM analog

IT Nucleic acids

IT

Proteins, general, biological studies

Ι

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(aziridine-contg. cofactors for methyltransferases and their use in labeling of nucleic acids and proteins)

9033-25-4, Methyltransferase 9037-42-7, DNA methyltransferase 9068-28-4, Protein methyltransferase 90698-28-5, DNA methyltransferase TaqI 91448-96-3, DNA methyltransferase HhaI

RL: BPR (Biological process); BSU (Biological study, unclassified); BUU (Biological use, unclassified); BIOL (Biological study); PROC (Process); USES (Uses)

(aziridine-contg. cofactors for methyltransferases and their use in labeling of nucleic acids and proteins)

IT 29908-03-0DP, analogs 219497-87-7P

RL: BPR (Biological process); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); PROC (Process)

(aziridine-contg. cofactors for methyltransferases and their use in labeling of nucleic acids and proteins)

IT 110-60-1, 1,4-Diaminobutane 124-63-0, Mesyl chloride 151-56-4, Aziridine, reactions 605-65-2, Dansyl chloride 5135-30-8, 5'-Tosyladenosine 13089-45-7, 8-Bromo-2',3'-O-isopropylidene adenosine RL: RCT (Reactant); RACT (Reactant or reagent)

(aziridine-contg. cofactors for methyltransferases and their use in labeling of nucleic acids and proteins)

IT 256953-64-7P 256953-65-8P 256953-66-9P 256953-67-0P **256953-68-1P** 

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(aziridine-contg. cofactors for methyltransferases and their use in

labeling of nucleic acids and proteins)

TT 257901-98-7, 1: PN: WO0006587 PAGE: 9 unclaimed DNA 257901-99-8, 2: PN:

WO0006587 PAGE: 9 unclaimed DNA

RL: PRP (Properties)

(unclaimed nucleotide sequence; aziridine-contg. cofactors for methyltransferases and their use in labeling of nucleic acids and proteins)

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Matteucci, M; TETRAHEDRON LETT 1987, V28(22), P2469 HCAPLUS
- (2) McClelland, M; NUCLEIC ACIDS RES 1981, V9(24), P6795 HCAPLUS
- (3) Pignot, M; ANGEW CHEM, INT ED 1998, V37(20), P2888 HCAPLUS

IT 219497-87-7P

RL: BPR (Biological process); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); PROC (Process)

(aziridine-contg. cofactors for methyltransferases and their use in labeling of nucleic acids and proteins)

RN 219497-87-7 HCAPLUS

CN Adenosine, 5'-(1-aziridinyl)-5'-deoxy- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

IT 256953-68-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(aziridine-contg. cofactors for methyltransferases and their use in labeling of nucleic acids and proteins)

RN 256953-68-1 HCAPLUS

CN Adenosine, 5'-(1-aziridinyl)-5'-deoxy-8-[[4-[[[5-(dimethylamino)-1-naphthalenyl]sulfonyl]amino]butyl]amino]- (9CI) (CA INDEX NAME)

## IT 219573-72-5

RL: BSU (Biological study, unclassified); MFM (Metabolic formation); PRP (Properties); BIOL (Biological study); FORM (Formation, nonpreparative) (coupling of a nucleoside with DNA by a methyltransferase using N-adenosylaziridine, a S-adenosyl-L-methionine analog)

RE.CNT 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD

- (1) Alley, S; J Am Chem Soc 1994, V116, P2734 HCAPLUS
- (2) Armstrong, R; J Am Chem Soc 1992, V114, P3144 HCAPLUS
- (3) Djordjevic, S; Structure 1997, V5, P54
- (4) Gabriel, S; Chem Ber 1888, V21, P2664
- (5) Gabriel, S; Chem Ber 1895, V28, P2929
- (6) Gong, W; Nucleic Acids Res 1997, V25, P2702 HCAPLUS
- (7) Holz, B; Nucleic Acids Res 1998, V26, P1076 HCAPLUS
- (8) Labahn, J; Proc Natl Acad Sci USA 1994, V91, P10957 HCAPLUS
- (9) McClelland, M; Nucleic Acids Res 1981, V9, P6795 HCAPLUS
- (10) Rink, S; J Am Chem Soc 1993, V115, P2551 HCAPLUS
- (11) Schluckebier, G; J Mol Biol 1995, V247, P16 HCAPLUS
- (12) Smit, W; Tetrahedron Lett 1975, P2451 HCAPLUS
- (13) Tanner, D; Angew Chem 1994, V106, P625 HCAPLUS
- (14) Tanner, D; Angew Chem Int Ed Engl 1994, V33, P599
- (15) Tomasz, M; Chem Biol 1995, V2, P575 HCAPLUS
- (16) Webb, E; Enzyme Nomenclature 1992

#### IT 219497-87-7P

RL: BPR (Biological process); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); PROC (Process)

(coupling of a nucleoside with DNA by a methyltransferase using N-adenosylaziridine, a S-adenosyl-L-methionine analog)

RN 219497-87-7 HCAPLUS

CN Adenosine, 5'-(1-aziridinyl)-5'-deoxy- (9CI) (CA INDEX NAME)



Creation date: 04-26-2004

Indexing Officer: JPERRY - JONATHAN PERRY

Team: OIPEBackFileIndexing

Dossier: 09744641

Legal Date: 03-21-2003

No.	Doccode	Number of pages
1	SRNT	. 11

Total number of pages: 11

Remarks:

Order of re-scan issued on .....